

## COC-200 Orbiting-Cut System



\*Actual part may vary from photo

### Features

- To break through traditional restriction
- To upgrade the quality and accuracy of the products
- To increase efficiency and productivity
- To install easily with intelligent design
- Suitable for all kinds of EDM
- Fully tested through shock and vibration testing

### Orbiting mode




### Samples



7648 Southland Boulevard, Suite # 102. Orlando, Florida 32809 / Tel: (407) 745-4755

1120 Veterans Parkway. Rantoul, Illinois 61866 / Tel: (217) 893-4277

## Examples



### Computer Controller Specifications

Feature	Membrane keyboard over 30 operation tracks Z-lock and Loran mode control
Motion direct indicator	Circle, square, hexagon, "X" and "+" available
Power	AC110V / 220V 0.2kVA
Dimension setting	0.002 ~ 9.999mm
Orbit speed	0.15 ~ 0.8mm/sec in 10 steps
Dimension (W x D x H)	315 x 460 x 200mm
Weight	16.6kg (N.W.)

### Head of Orbit-Cut System Specifications

Feature	Suitable for any branded EDM
Maximum electrode weight	15kg
Size (W x D x H)	200 x 200 x 220mm
Weight	13kg (N.W.)
X.Y. travel	± 5mm
Repeat accuracy	0.01mm

**SALE PRICE \$7400.00 Orbiter only used for alignment on new machine.**

7648 Southland Boulevard, Suite # 102. Orlando, Florida 32809 / Tel: (407) 745-4755

1120 Veterans Parkway. Rantoul, Illinois 61866 / Tel: (217) 893-4277



7648 Southland Boulevard, Suite # 102. Orlando, Florida 32809 / Tel: (407) 745-4755

1120 Veterans Parkway. Rantoul, Illinois 61866 / Tel: (217) 893-4277

[WWW.ARROWEDM.COM](http://WWW.ARROWEDM.COM)